


Birm Tank System



Information

This unit removes iron and manganese to a combined level of 10 milligrams per L. The pH of your water must be 7.5 or over.


What You Get

- 1 off 263 740 Autotrol Valve
- 1 off 10x44" Fiberglass Vessel
- 1 off 1.5 Cubic Foot Birm
- 1 off 200 Gal Settlement Tank
- 1 off 1HP Booster Pump

Important

This unit is recommended for your water at the time of testing, if the bacterial content of your water changes over time it may be necessary to upgrade or invest in a new unit.

PWS CR-100 Unit



Information

This unit raises the pH of your water to 7 it also removes manganese, iron and lime from your water supply.


What You Get

- 1 off 255 Autotrol Valve
- 1 off 10x44" Fiberglass Vessel
- 1 off 38L Crystal Right 100
- 1 off 75 Litre Salt Container

Important

This unit is recommended for your water at the time of testing, if the bacterial content of your water changes over time it may be necessary to upgrade or invest in a new unit.

PWS CR-200 Unit



Information

This unit removes iron, manganese and lime from your water supply. It also neutralises your water and gives it a pH of 7


What You Get

- 1 off 255 740 Autotrol Valve
- 1 off 10x44" Fiberglass Vessel
- 1 off 38L Crystal Right 200
- 1 off 75 Litre Salt Container

Important

This unit is recommended for your water at the time of testing, if the bacterial content of your water changes over time it may be necessary to upgrade or invest in a new unit.

Manganese Greensand



Information

This unit removes iron and manganese to a combined level of 6 milligrams per litre

The pH of your water must be 7 or above


What You Get

- 1 off 225 740 Osminics Valve
- 1 off 10x54" Fibreglass Vessel
- 1 off 1 Cubic Ft. Manganese
- 1 off 35L Premix Container
- 1 off Permixon

Important

This unit is recommended for your water at the time of testing, if the bacterial content of your water changes over time it may be necessary to upgrade or invest in a new unit.

Manganese Greensand & Water Softner



Information

This unit removes iron and manganese to a combined level of 6 milligrams per litre

The pH of your water must be 7 or above

What You Get

- 2 off 225 740 Osminics Valve
- 1 off 8x35" Fibreglass Vessel
- 1 off 20L Softening Resin
- 1 off 75L Salt Container
- 1 off 10x54" Fibreglass Vessel
- 1 off 1 Cubic Ft. Manganese
- 1 off 35L Premix Container
- 1 off Permixon

Important

This unit is recommended for your water at the time of testing, if the bacterial content of your water changes over time it may be necessary to upgrade or invest in a new unit.