



Water Purification Specialists

# I Am Water

---



World leading water solutions - great for you and your home

Water Purification Specialists

# ABOUT US

Established in 1995, by Colm Dawson, Perfect Water Systems quickly gained a reputation for high quality professional installations and has stayed the course to build on that reputation. We promise a complete a thorough water treatment service in your home or business. Over the past twenty-three years we have tried and tested many different types of filtration valves and units and now we have eliminated all the troublesome and unreliable units. Now we only sell and service high quality brands that guarantee the customer will save money and have perfect water. This enables us to provide reliable, efficient sales and servicing for water softeners, drinking water filters, pH correctors, ultra violet bacteria control, iron and manganese filters.

The business has grown over the last 24 years to where it is today, employing 14 people and servicing 24,000 customers from our purpose-built facility in Ballysally, Business Park, Railway Road, Charleville, Co. Cork and through our agents around the country.

### Industrial and Commercial Systems

Perfect Water Systems have been installing industrial and commercial water softeners, drinking water filters, coolers, ultra violet bacteria control units, iron and manganese filters, and pH correction systems all over Ireland for the past 25 years.

### Environmentally Friendly

We are also an environmentally conscious and socially responsible company with one goal in mind: To design and bring to market the best environmentally friendly water treatment systems the world has to offer. Our company is built on the belief that, through its products, it can change the world and your health for the better!

Colm Dawson,  
Managing Director.






# GUIDE


Page	Subject
1	Importance of water in the body
2	Why do I need filtered drinking water?
<b>3-4</b>	<b>Drinking Water Product Range</b>
5	Hard Water and Limescale
6	How a Water Softener works
<b>7-8</b>	<b>Water Softener Product Range</b>
9	Wells - Limescale and Iron
10	Wells - Ultraviolet Bacteria control and pH Neutralizers
<b>11</b>	<b>Wells - Product Range - Water Softeners</b>
<b>12</b>	<b>Wells - Product Range - Iron Filters</b>
<b>13</b>	<b>Wells - Product Range - Ultraviolet Filters</b>
<b>14</b>	<b>Wells - Product Range - pH Neutralisers</b>
15	Insulated Outside Cabinets
<b>16</b>	<b>Ecowater Whole House Carbon Filter</b>







## IMPORTANCE OF WATER IN THE BODY



Regulates body temperature.

Moistens tissues such as those in the mouth, eyes and nose.

Lubricates Joints.

Protects body organs and tissues.

Lessens the burden on the kidney and liver by flushing out waste.

Helps prevent constipation.

Carries Nutrients and oxygen to the cells.

Helps dissolve minerals and other nutrients to make them accessible to the body.

## WHY DO I NEED FILTERED DRINKING WATER?

Let's start by explaining why you don't want unfiltered drinking water in your kitchen. How many times have you turned the tap, smelled chlorine and thought I don't want to drink that?

With a Perfect Water drinking water system, drinking clean water couldn't be easier. Perfect Water have a range of systems ideal for every home. From simple drinking water filters to remove chlorine, to the ultimate in filtration – the Ecowater eDro RO System.

Let's not forget the extra special benefit of filtered water is the warm feeling you get inside knowing you are helping to protect the environment for future generations by eliminating the number of plastic bottles in your home.

Now you know why filtered water is our best friend, why not make it yours?

## SO, HOW DOES IT WORK?

Perfect Water's drinking water systems are easy to maintain and some even show you when you need to change your cartridge.

Oh, and let's not forget your electricity bill won't go up either. Most of Perfect Water's drinking watersystems are non-electric so you also get the good feeling of knowing your better standard of life is not damaging the environment.

### THE DIFFERENCE...

Using filtered drinking water produces fantastic tasting tea and coffee.



# DRINKING WATER RANGE

DRINKING WATER FILTERS

PWS Crypto Drinking Water Filter



Dimensions  
Height 425mm  
Depth 100mm  
Width 300mm


Delicious, filtered water on tap! Save a fortune on bottled water, good for you and even better for the environment.

FILTER PERFORMANCE	PWS CRYPTO
<b>Filtration Rating</b>	0.9 micron
<b>Working Pressure</b>	
Minimum	10 psi
Maximum	125 psi
<b>Working Parameters</b>	12 months
<b>Flow Rate</b>	3.7 litre/min
<b>Capacity</b>	3800 litres
<b>Quality Approval</b>	Yes (WRAS, NSF)
<b>Pathogenic Organisms</b>	
% Bacteria Removal (E.Coli/Cholera/Shigella/Typhoid/Klebsiella Terrigena)	>99.99%
% Cyst Removal	
Cryptosporidium	>99.99%
Giardia	>99.99%
<b>Inorganics Removal</b>	
Free Chlorine Removal	>97%
<b>Trace Organics Removal</b>	
Insecticides	>85%
Herbicides	>85%
Phenols	>50%
Polyaromatic Hydrocarbons	>95%
Trihalomethanes	>50%

up to 1 year guarantee  
(or 3800 litres)

All service flow rates are based

PWS Crypto / Fluoride Drinking Water Filter




Dimensions  
Height 425mm  
Depth 100mm  
Width 300mm

Delicious, filtered water on tap! Save a fortune on bottled water, good for you and even better for the environment.

FILTER PERFORMANCE	PWS FLUORIDE
<b>Filtration Rating</b>	0.9 micron
<b>Working Pressure</b>	
Minimum	10 psi
Maximum	125 psi
<b>Working Parameters</b>	12 months
<b>Flow Rate</b>	3.7 litre/min
<b>Capacity</b>	3800 litres
<b>Quality Approval</b>	Yes (WRAS, NSF)
<b>Pathogenic Organisms</b>	
% Bacteria Removal (E.Coli/Cholera/Shigella/Typhoid/Klebsiella Terrigena)	>99.99%
% Cyst Removal	
Cryptosporidium	>99.99%
Giardia	>99.99%
<b>Inorganics Removal</b>	
Free Fluoride Removal	>97%
Free Chlorine Removal	>96%
<b>Trace Organics Removal</b>	
Insecticides	>85%
Herbicides	>85%
Phenols	>50%
Polyaromatic Hydrocarbons	>95%
Trihalomethanes	>50%

up to 1 year guarantee  
(or 3800 litres)

PWS 6 Stage RO



Delicious, filtered water on tap! Save a fortune on bottled water, good for you and even better for the environment.

Working Pressure

40 - 90 psi

Flow Rate:

3.7 litres/min

1. 5 micron pre-filter

2. 10" Activated Carbon

3. 1 micron filter

4. RO membrane

5. Remineralisation Cartridge

6. Carbon Post Filter

Removes

Taste

Odour

Chlorine

Sediment

Lead/VOC/Cysts/MTBE

Dimensions

Height 425 mm


Depth 200 mm

Width 500 mm

up to 5 year guarantee

www.perfectwater.ie

K7500 DWF



Enjoy ultra filtered tap water. Save a fortune on bottled water with added protection for all of the family.

Service Flow Rate

2.85 litres per min

Filters

1 micron block activated carbon

Removes

Taste

Odour

Chlorine

Sediment

Lead/VOC/Cysts/MTBE

Dimensions

Height 425mm

Depth 100mm

Width 155mm

up to 1 year guarantee

www.perfectwater.ie

K2RO DWF



Improve the quality of your drinking water without slow filter jugs. This system gives you delicious clean drinking water on tap.

Service Flow Rate

2.85 litres per min

Storage Tank

11.3 litre air Charge

Air Charge Tank

410 mm x 250 mm x 250 mm

Cartridges

Pre-filter

Membrane

Post-filter

Removes

Bad taste & Smell

Chlorine & Fluoride

Limescale & Lead

Pharmaceuticals

Oestrogen

Dimensions (h x d x w)

407 mm x 127 mm x 331 mm

up to 5 year guarantee

K5RO DWF



The Kinetico K5 systems are fitted with three fixed filters a pre-filter, a reverse osmosis membrane filter and a post-filter.

Service Flow Rate

4.3 litres per min

Storage Tank

11.3 litre QuickFlo

Removes

Bad taste & Smell

Chlorine & Fluoride

Limescale

Lead

Pharmaceuticals

Oestrogen

Dimensions [HxDxW]

483 mm x 394 mm x 150 mm

QuickFlo Tank [HxDxW]

462 mm x 220 mm x 220 mm

Cartridges

Pre-filter

Membrane

Post-filter

up to 10 years guarantee

1890 98 90 98

3

4





## WATER SOFTENERS

**Water is the very basis of life, touching everyone and everything. Our need for water is fundamental.**

Here at Perfect Water Systems, it is our mission to produce the best possible water solutions for you and your home. We are a recognized leader in Ireland for water softeners, our products are brilliantly designed, easy to use, offer unrivaled reliability and produce the most luxurious soft water. Our water softeners sit out of sight and out of mind, protecting you, your family and your home from the damaging effects of hard water, forever!

### Why do I need soft water?

#### We guess you would probably like the idea of saving money...

Save up to **€500** a year on cleaning products and toiletries because soft water makes them all go further – up to 75% further, which is good for the environment too. And, with a limescale free home, your heating system will be super efficient, saving you up to 12% on your energy bills.

#### Doing a little less cleaning is always nice...

Keep your kitchen and bathroom looking pristine for longer and say 'goodbye' to watermarks on shower screens, tiles and granite worktops.

#### We know you'll enjoy smoother skin and silkier hair...

With nothing but lovely soft water flowing through your home, your hair and skin will feel beautifully soft and healthy, a difference you'll notice straight away. Your home spa will be the perfect place to relax and unwind!

#### Eczema and dry skin conditions can be alleviated too...

**With a Water Softener eczema sufferers itched less and used less emollient and steroid cream\*.**



**Hard Water      Soft Water**

**No more crusty taps or water marks...**  
soft water keeps shower screens, taps and sinks clean and shiny, without all the effort.



**Hard Water      Soft Water**

**No more clogged pipes or costly bills...**  
soft water maintains the efficiency of your heating system and avoid costly damage.



**Hard Water      Soft Water**

**No more blocked shower heads...**  
soft water keeps the water in your shower flowing freely and efficiently.

## KINETICO PREMIER COMPACT WATER SOFTENER



The most popular choice for home-owners, delivering a constant supply of softened water. (10 year warranty). The Kinetico Premier Compact water softener also happens to be one of the world's smallest, most tried and tested, non-electric, twin cylinder water softener.

Banish limescale forever and ensure a constant supply of soft water with the next generation water softener.

**Dimensions:** H 498mm x W 219mm x D 468mm

**Regeneration Time:** 11 minutes

**Salt Usage:** 0.34 kg

**Service Flow Rate:** At 1 bar pressure drop: 33.3 L per min

**Warranty:** 10 years (parts) Guarantee

With e-max technology it combines maximum performance and efficiency in a compact design and ensures unparalleled levels of limescale prevention 24 hours a day – the ultimate in soft water convenience.

**Emax Technology:** This innovative, non-electric two tank technology combines optimum efficiency and maximum performance to give an unparalleled level of limescale prevention 24/7.

**Twin Tank System:** Unique and patented twin-tank design guarantees uninterrupted supply of soft water 24/7. When one tank is regenerating (cleaning) the other takes over ensuring you always have a supply of soft water. Single-tank systems cannot offer this.

**High Flow Rate:** Designed and manufactured to exceed water flow rates typically used by today's demanding households.

**Non-Electric:** Operates using the power of moving water for greater reliability and easier installation. There are no power cables to plug-in, no meters or timers to set, no electronic components to corrode over time – and no electricity costs.

**Metered Regeneration:** Meters water use to accurately determine when it's time to regenerate with watch-like precision, resulting in less waste and greater savings. So when you go on holiday so does your water softener.

**Countercurrent Regeneration:** Unlike most other water softeners our patented countercurrent backwash regenerates from the bottom up for more even and efficient use of the resin.

**High Capacity Resin:** Uses food-grade, high capacity fine mesh resin to deliver high flow rates.

**10 Year Parts Warranty:** Kinetico water softeners are designed and built to meet the highest quality standards.

**Soft Water Rinse:** Uses only soft water to clean itself, which prolongs the life of the water softener.

**Block Salt:** Use convenient, easy-to-load block salt that's ergonomically designed and completely fuss-free. It even comes in robust, easy-to-carry, weatherproof bags.

**QuietDrive:** Precision engineered valve for quiet operation.

**Salt Viewing Window:** Transparent viewing window at the front of the softener allows you to check the salt levels, making it easier to see when your salt needs refilling.

**If you wish to see how Kinetico Premier Water Softeners work visit us at:  
Water Softeners - Perfect Water Systems**

# WATER SOFTENER RANGE

## WATER SOFTENERS

### PWS M/C Mini Soft



This unit is for medium homes. It removes limescale in all of your home. Great for medium usage.

**Water Flow Rate**  
Service 15 litres per min

**Regeneration**  
Time 59 mins  
Water Used 80 litres

**Dimensions** (h x d x w)  
630mm x 550mm x 240mm

**Operating Data**  
Min Pressure 15 psi (1.04bar)  
Max Pressure 116 psi (8.00bar)  
Salt Type Tablet Salt

up to 5 year guarantee

### Euro Cabinet



PWS 8x35 Meter Controlled Euro Cabinet Water Softener. This unit is for medium homes. It removes limescale in all of your home. Great for medium usage.

**Water Flow Rate**  
Service 15 litres per min

**Regeneration**  
Time 1 hour  
Water Used 120 litres

**Dimensions** (h x d x w)  
670mm x 500mm x 320mm

**Operating Data**  
Min Pressure 15 psi (1.04bar)  
Max Pressure 116 psi (8.00bar)  
Salt Type Tablet Salt

up to 5 year guarantee

### Midi Cabinet



PWS Midi Cabinet Water Softener. This unit is for medium homes. It removes limescale in all of your home. Great for medium usage.

**Water Flow Rate**  
Service 15 litres per min

**Regeneration**  
Time 1 hour  
Water Used 120 litres

**Dimensions** (h x d x w)  
1200mm x 550mm x 310mm

**Operating Data**  
Min Pressure 15 psi (1.04bar)  
Max Pressure 116 psi (8.00bar)  
Salt Type Tablet Salt

up to 5 year guarantee

All service flow rates are based upon a 50 psi feed.

# KINETICO PREMIER PLUS

Our customers demand reliability, value and performance

We are proud to supply water softeners to millions of homes and companies around the world. From five-star hotels to world-renowned brands, every Kinetico customer - has discovered why the original is always the best.



premier PLUS



The **Kinetico Premier Plus** is a high performance, non-electric, twin-tank water softener ideal for homes with 4+ bathrooms. All the same benefits as the Premier Compact, but built for a larger demand.

Dimensions	
Size (w x d x h)	481 x 400 x 650 mm
Performance	
Minimum Flow	1.1 l/min
Maximum Flow @ 1 Δ bar	22.7 l/min
Regeneration	
Time	12 minutes
Volume	28 litres
System	
Max Operating Pressure	6 bar



### For households with 4+ bathrooms

- Exceptional flow rates for a continuous supply of soft water
- Efficient salt usage
- QuietDrive - it won't disturb you, we promise



Registered products get a free 10 year warranty







## WELLS. LIMESCALE, IRON


**Limescale** is the hard, white, chalky deposit you can see in kettles, hot-water boilers and the inside of hot-water central heating systems. It is also often found as a caked deposit on the inner surface of old pipes and other surfaces where “hard water” has evaporated. Other than being unsightly and harder to clean, limescale seriously impairs the operation or can even damage various components of the heating system.

These deposits act as a kind of internal insulation on your pipe work; reducing their efficiency and can eventually lead to serious damage of piping systems. By installing a water softener, an average family of four can save upwards of **€500** a year! Maintenance of your water softener is as simple as adding softener salt to the system.

*For more information on our great water softener systems see pages 5-8.*

**Iron** in well water is a common problem in Cork, Limerick, Tipperary and Clare. Perfect Water Systems can solve this problem. The first step is to have the water tested for Iron, Manganese and hardness. In high concentrations iron can cause the water to become brown and undrinkable and even if it is present in small amounts it can result in unsightly brown stains on baths and sinks, kettles, crockery, tiles, dishwashers, washing machines, showers and clothing. This can be costly in trying to clean all the affected items and even replace them.

The filter is fitted to your main supply and the iron is filtered out by manganese greensand. The iron is then flushed out of the vessel at night time ready for the next day. You will find that your water is clean and pure, saving money and effort in cleaning up the residue of the iron water.



**Hard Water** **Soft Water**

**No more crusty taps or water marks...**  
soft water keeps shower screens, taps and sinks clean and shiny, without all the effort.



**Iron** **Iron Free**

**No more brown stains or corrosion...**  
we remove excess iron from your water to make sure your kettles, showers, clothes and baths stay protected and stain free.

## BACTERIA AND pH CORRECTION

**Ultraviolet** technology is more effective than chemicals in killing certain waterborne contaminants without altering the taste of water. This makes it a practical process for treating water used for drinking and food preparation.

Treating our water supply by the use of UV disinfection is not only more effective than traditional treatments, but it is also an environmentally responsible way of treating water. There are no disinfection by-products with UV which makes it safe and chemical free.

Purchasing a UV disinfection system for your home has a capital low cost as well as a low operational cost. The energy used by a UV disinfection system in an average size home is comparable to the same energy used by a 40-watt bulb!



**Untreated** **UV Treated**

**Remove harmful bacteria from water...**  
UV filtration kills harmful bacteria in your well water supply to keep you and your family safe and well.

**pH Correction** is necessary if your water has a pH less than 7. This acid water will damage your plumbing because the acid water reacts with your copper pipes causing blue and green staining on baths, showers, sinks, dish washers and washing machines.

Calcite is a naturally occurring calcium carbonate mineral. It corrects the pH of your water and prevents this corrosive damage from occurring. When acidic water comes in contact with calcite it slowly dissolves the calcium carbonate to raise the pH which reduces the potential leaching of copper, lead and other metals found in typical plumbing systems. Backwashing mixes the calcite to maintain high service rates. Depending on pH, water chemistry and service flow, the calcite bed will have to be periodically replenished as the Calcite is depleted.



**Low pH** **Neutral**

**No more blue stains or corrosion...**  
we can correct the pH of your water to stop blue stains appearing on baths, sinks, showers and washing machines.

# WELL WATER RANGE

## WATER SOFTENERS

### 8x35 MC



Perfect for a well insulated outhouse or shed if you do not have space under your sink. This model is more efficient because it is meter controlled.

**Water Flow Rate**

Service 15 litres per min

**Regeneration**

Time 1.5 hours  
Water Used 180 litres

**Dimensions** (h x d x w)

1100mm x 330mm x 560mm

**Operating Data**

Min Pressure 15 psi (1.04bar)  
Max Pressure 116 psi (8.00bar)  
Salt Type Tablet Salt

**up to 5 year guarantee**

### PWS Twin 8x35



Perfect for a well insulated outhouse or shed. Gives a constant supply of soft water no matter how much water is used.

**Water Flow Rate**

Service 15 litres per min

**Regeneration**

Time 1.5 hours  
Water Used 180 litres

**Dimensions** (h x d x w)

1100mm x 330mm x 560mm

**Operating Data**

Min Pressure 15 psi (1.04bar)  
Max Pressure 116 psi (8.00bar)  
Salt Type Tablet Salt

**up to 5 year guarantee**

### Ecomix Unit



Removes Iron ,Manganese and Hardness / lime.

**Water Flow Rate**

Service 25 litres per min  
Peak 25 litres per min

**Regeneration**

Time 90 minutes  
Water Used 180 litres

**Dimensions** (h x d x w)

1570mm x310mm x 660mm

**Operating Data**

Min Pressure 12 psi (0.83bar)  
Max Pressure 120 psi (8.3bar)  
Salt Type Tablet Salt

**up to 5 year guarantee**

## IRON FILTERS

### Birm Tank System



This unit removes iron and manganese to a combined level of 10 milligrams per litre The pH of your water must be 7.5 or over.

**Water Flow Rate**

Service 15 litres per min

**Regeneration**

Time 0.5 hours  
Water Used 180 litres

**Dimensions** (h x d x w)

1600mm x 1100mm x 1900mm

**Operating Data**

Min Pressure 15 psi (1.04bar)  
Max Pressure 116 psi (8.00bar)

**up to 5 year guarantee**

### CR 100/200



This unit removes iron, manganese and lime from your water supply. It also neutralises your water and also raises the pH to 7.0

**Water Flow Rate**

Service 15 litres per min

**Regeneration**

Time 1.5 hours  
Water Used 180 litres

**Dimensions** (h x d x w)

1600mm x 560mm x 660mm

**Operating Data**

Min Pressure 15 psi (1.04bar)  
Max Pressure 116 psi (8.00bar)

**up to 5 year guarantee**

### Mang Greensand



This unit removes iron and manganese to a combined level of 6 milligrams per litre The pH of your water must be 7.0 or over

**Water Flow Rate**

Service 15 litres per min

**Regeneration**

Time 1.5 hours  
Water Used 180 litres

**Dimensions** (h x d x w)

1600mm x 560mm x 660mm





**Operating Data**



Min Pressure 15 psi (1.04bar)  
Max Pressure 116 psi (8.00bar)

**up to 5 year guarantee**



# WELL WATER RANGE

UV FILTERS			
PWS UV 5 Gal	PWS UV 8 Gal	PWS UV 14 Gal	PWS UV 32 Gal
			
For small house. UV is more effective than chemicals in destroying certain waterborne contaminants without altering the taste of water.	For average house. UV is more effective than chemicals in destroying certain waterborne contaminants without altering the taste of water.	For hospitality business. UV is more effective than chemicals in destroying certain waterborne contaminants without altering the taste of water.	For commercial use. UV is more effective than chemicals in destroying certain waterborne contaminants without altering the taste of water.
<b>Water Flow Rate</b> Service 19 litres per min	<b>Water Flow Rate</b> Service 30 litres per min	<b>Water Flow Rate</b> Service 45 litres per min	<b>Water Flow Rate</b> Service 121 litres per min
<b>Bulb</b> 30 Watt Sterilight Bulb	<b>Bulb</b> 46 Watt Sterilight Bulb	<b>Bulb</b> 48 Watt Sterilight Bulb	<b>Bulb</b> 73 Watt Sterilight Bulb
<b>Dimensions</b> (h x d x w) 900mm x 150mm x 550mm	<b>Dimensions</b> (h x d x w) 1500mm x 150mm x 550mm	<b>Dimensions</b> (h x d x w) 1500mm x 150mm x 550mm	<b>Dimensions</b> (h x d x w) 2000mm x 150mm x 550mm
<b>Operating Data</b> Min Pressure 12 psi (0.83bar) Max Pressure 116 psi (8.0bar)	<b>Operating Data</b> Min Pressure 12 psi (0.83bar) Max Pressure 116 psi (8.0bar)	<b>Operating Data</b> Min Pressure 15 psi (1.04bar) Max Pressure 116 psi (8.0bar)	<b>Operating Data</b> Min Pressure 15 psi (1.04bar) Max Pressure 116 psi (8.0bar)
up to 5 year guarantee	up to 5 year guarantee	up to 5 year guarantee	up to 5 year guarantee

pH NEUTRALISERS	
pH Neutraliser	pH Neutraliser BW
	
pH Neutralisers raise the pH of your water to 7.0. This will stop blue stains from appearing in your home as well as stopping corrosion on pipe work.	This backwashable pH Neutraliser works more efficiently than the traditional pH Neutraliser while doing as good a job.
<b>Water Flow Rate</b> Service 15 litres per min	<b>Water Flow Rate</b> Service 15 litres per min
	<b>Regeneration</b> Time 30 minutes Water Used 60 litres
<b>Dimensions</b> (h x d x w) 1600mm x 400mm x 400mm	<b>Dimensions</b> (h x d x w) 1600mm x 400mm x 400mm
<b>Operating Data</b> Min Pressure 15 psi (1.04bar) Max Pressure 125 psi (8.65bar)	<b>Operating Data</b> Min Pressure 15 psi (1.04bar) Max Pressure 125 psi (8.65bar)
up to 5 year guarantee	up to 5 year guarantee

# INSULATED OUTSIDE CABINETS



**Insulated Outside Cabinet**  
Dimensions H 635 D 381 W 565



**Insulated Outside Cabinet 2**  
Dimensions H 1540 D 510 W 680



# WHOLE HOUSE FILTERS



## CENTRAL WATER FILTER

With an EcoWater Central Water Filter or CWF you always have clean, tasty drinking water from every tap of your home.

The CWF contains several filtration layers, where sediments and other contaminants are stopped. Furthermore, unpleasant smells, colors and bad tastes are removed from the water thanks to the integrated active carbonfilter.

Every 14 days there is an automatic backwash to purify the filter media and any sediment is washed down the drain.

You will not have to buy expensive bottled water or waste time dragging heavy water bottles from the shops

Technical specifications	Central Water Filter	
Min.-Max. Working Pressure (bar)	2 - 8,6	
Min.-Max. Operating Temperature (°C)	4 - 49	
Water consumption during clean rinse (liters)	< 40	
Activated carbon (liters)	9,1	
Connections	1"	
Electrical supply	24V / 50Hz	
Dimensions (cm)	Central Water Filter	
Total Height	86,0	
Distance between floor and by-pass	70,0	
Width	34	
Depth	26	
Typical impurities reduced		
Arsenic	Chlorine (taste and odor)	Phenol
Benzene	MTBE	Radon
Chloramine	Ozone	Sediments
Chloride	Pesticides	Solvants



Visit **[www.perfectwater.ie](http://www.perfectwater.ie)** or call **1890 989098** to talk to us about your water needs or for a free sales call.



Ballysally Business Park, Railway Road, Charleville, Co. Cork.  
visit **[www.perfectwater.ie](http://www.perfectwater.ie)** email **[info@perfectwater.ie](mailto:info@perfectwater.ie)** phone **063-89290**  
**Joe Riordan 086-1408998 Colm Dawson 087-2704172**  
**Simon Moore: Dublin 085-7366006 Gerry Concannon: Kerry 087-8180087**

